R-PANEL
Pg 108 2
118/2009



Material Safety Data Sheet ZINCALUME® Plus Steel

Section 1 - Chemical Product and Company Identification

Product name

ZINCALUME® Plus Steel

Manufacturer

Steelscape, Inc.

222 West Kalama River Road

Kalama, WA 98625

Revision Date

05/11/2004

Emergency Contact:

CHEMTREC (24 hours) 1-800-424-9300

Section 2 - Composition / Information on Ingredients

Ingredient Name	CAS-No.	Weight%	
	-1.0 1101	Min	Max
Base Steel			
Iron	7439-89-6	1	00.00
Carbon	7440-44-0	1	99.00
Manganese Compounds (as Mn)	7439-96-5	1	0.30
Phosphorus	7723-14-0	+	1.00
Sulfur	7704-34-9	1:	0.15
Silicon	7440-21-3	1:	0.05
Aluminum	7420 00 5	1	0.03
Note: Base Steel may contain the following trace or Molybdenum (0.10% rnax), Nickel (0.12% max), Col Vanadium (0.08% max). Metallic Coating	(0.00% max), 111 (0.03%	max). Copper(0,1	2% max), 5% max), and
Molybdenum (0.10% max), Nickel (0.12% max), Col Vanadium (0.08% mait). Metallic Coating Aluminum Zinc	7429-90-5	max), Ittanium (0.06	58,00
Vanadium (0.08% ma:t). Metallic Coating Aluminum	7429-90-5 7440-66-6	51.00	5% max), and
Vanadium (0.08% ma:t). Metallic Coating Aluminum Zinc	7429-90-5 7440-66-6 7440-21-3	51.00 . 40.00	58,00
Vanadium (0.08% ma:t). Metallic Coating Aluminum Zinc Silicon Iron	7429-90-5 7440-66-6	51.00	58,00 48.00
Vanadium (0.08% ma:t). Metallic Coating Aluminum Zinc Silicon Iron Surface Coating	7429-90-5 7440-66-6 7440-21-3	51.00 . 40.00	58,00 48.00
Vanadium (0.08% ma:t). Metallic Coating Aluminum Zinc Silicon Iron Surface Coating Styrene Acrylic Copolymer	7429-90-5 7440-66-6 7440-21-3	51.00 . 40.00	58,00 48.00 1.90 0.02
Vanadium (0.08% ma:t). Metallic Coating Aluminum Zinc Silicon Iron Surface Coating Styrene Acrylic Copolymer Water	7429-90-5 7440-66-6 7440-21-3 7439-89-6	51,00 40.00 1,30 0.01	58,00 48.00 1.90 0.02
Vanadium (0.08% mail). Metallic Coating Aluminum Zinc Silicon Iron Surface Coating Styrene Acrylic Copolymer Water Styrene Monomer	7429-90-5 7440-66-6 7440-21-3 7439-89-6	51.00 . 40.00 . 1.30 . 0.01	58,00 48.00 1.90 0.02 47.00 48.00
Vanadium (0.08% ma:t). Metallic Coating Aluminum Zinc Silicon Iron Surface Coating Styrene Acrylic Copolymer Water	7429-90-5 7440-66-6 7440-21-3 7439-89-6	51,00 40.00 1,30 0.01	58,00 48.00 1.90 0.02



Material Safety Data Sheet

Rfanel B. 20f 2

Material Name: Iron Alloy (Steel)

ID: NS-001

* * * Section 1 - Chemical Product and Company Identification * * *

Chemical Name: Mixture

Product Use: Slab, Roll and Sheet Froducts

Manufacturer Information National Steel Corporation 4100 Edison Lakes Parkway Mishawaka, IN 46545

Phone #: (219) 273-7000

Emergency #: (219) 273-7000

* * * Section 2 - Composition / Information on Ingredients * * *

CAS#	Components	
7439-89-6	Iron	Percent
7439-96-5	Manganese	97-99
7440-02-0	Nickel	0.15-1.65
7440-47-3	Chromium	0.04-1.1
7440-21-3	Silicon	0.02-1.1
429-90-5	Aluminum	0.01-0.95
440-50-8	Copper	0.02-0.504
440-36-0	Antimony	0.01-0.4
		0.005-0.06

Coated Product May Also Contain:

7429-90-5	Aluminum	
40-36-0	Antimony	0.2-3.7
7440-66-6	Zinc	0.005-0.06
7440-31-5	Tin	0.001-10.25
7440-47-3	Chromium	0.001-2.5
_		0.004-2

Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Nickel compounds. Component Information/Information on Non-Hazardous Components

As supplied, this product is considered non-hazardous under 29 CFR 1910.1200 (Hazard Communication), however, dusts, particulates or furnes generated in the processing of this product are hazardous.

* * * Section 3 - Hazards Identification * * *

Emergency Overview

Product is a solid iron alloy. As supplied, this product does not present a physical or health hazard. Processing of the product for some final uses can include formation of dusts, particulates or furnes which may present certain health hazards. Dustsfrom this product may pose a dust explosion hazard. Contact of molten product with water poses an explosion hazard. Firefighters should wear a positive pressure self-contained breathing apparatus with full facepiece.

Hazard Statements


Dusts, particulates and vapors that may be produced in the processing of this product, may be irritating to the eyes, skin, respiratory system and gastrointestinal tract. Dusts, particulates or fumes that may be produced may contain metals that cause metal fume fever, a flu-like condition lasting 24 to 48 hours and includes fever, chills, aches, cough and general malaise. Exposure to dusts, particulates or fumes containing nickel may cause cancer. Fumes containing metallic components in this ofential Health Effects: Eyes

Dust or powder may be irritating to the eyes. Rubbing may cause abrasion of the cornea.

Issue Date: 10/10/97 Revision: 2.0000.

Print Date: 1/3/00





MEMORANDUM

TO:

FROM:

DATE:

RE:

Material Safety Data Sheets (MSDS)

Metal building component products are considered as "ARTICLES", in conformance with the definition of "ARTICLES" as set forth in 29 CFR 1910.1200(c) (Hazard Communication Standard).

"ARTICLES", as defined in the regulations, are manufactured items:

- (i) which is formed to a specific shape or design during manufacture;
- (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
- (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees.

Articles are exempted under the Hazard Communication Standard under 29 CFR 1910.1200(b)(6)(v), and thus require no MSDS.

Please contact us if you have any further questions or concerns.

Thank you,